

Record of Water Taking

Report Date: 2021-07-05

Period: 2021.06.01 - 2021.06.30

Kagiano Power Corporation

Permit #: 4727-7VPPMV

P.O. Box 192

Source: Kagiano River Surface Water

Heron Bay, Ontario POT 1R0

Location: Latitude 49.11.26, Longitude 86.07

MASL - Meters Above Sea Level : M - Meters : Sec - Seconds : kW - Kilowatts

Date	Weir Slots Open	Average Daily Water Level	Average Daily Flow through Wier Slots m ³ /sec	Maximum Rate of Taking Through Turbines m ³ /min	Total Amount of Taking Through Turbines m ³	Average Station kW kW
6/1/2021	14	550.50	>1.309	599.41	851,589.50	4,124
6/2/2021	14	550.50	>1.309	593.68	809,464.32	3,920
6/3/2021	14	550.50	>1.309	620.92	793,770.62	3,844
6/4/2021	14	550.50	>1.309	586.22	819,926.78	3,971
6/5/2021	14	550.50	>1.309	571.02	806,435.71	3,905
6/6/2021	14	550.50	1.304	558.97	765,411.84	3,707
6/7/2021	14	550.50	1.296	535.03	751,370.11	3,639
6/8/2021	14	550.50	1.296	515.52	724,112.64	3,507
6/9/2021	14	550.50	1.292	500.18	681,161.47	3,299
6/10/2021	14	550.50	1.295	505.77	687,218.69	3,328
6/11/2021	14	550.50	1.294	505.77	711,447.55	3,445
6/12/2021	14	550.50	1.295	500.32	697,405.82	3,377
6/13/2021	14	550.50	1.295	491.00	687,218.69	3,328
6/14/2021	14	550.50	1.293	481.11	673,452.29	3,261
6/15/2021	14	550.50	1.294	464.19	638,485.63	3,092
6/16/2021	14	550.50	1.294	436.80	593,056.51	2,872
6/17/2021	14	550.50	1.295	404.24	561,393.79	2,719
6/18/2021	14	550.50	1.297	393.06	551,481.98	2,671
6/19/2021	14	550.50	1.289	386.32	528,079.10	2,557
6/20/2021	14	550.50	1.300	357.21	493,387.78	2,389
6/21/2021	14	550.50	1.297	415.86	539,367.55	2,612
6/22/2021	14	550.50	1.289	386.18	538,816.90	2,609
6/23/2021	14	550.50	1.290	367.39	504,400.90	2,443
6/24/2021	14	550.50	1.293	413.85	563,871.74	2,731
6/25/2021	14	550.50	1.290	407.83	568,827.65	2,755
6/26/2021	14	550.52	>1.309	394.35	502,198.27	2,432
6/27/2021	14	550.50	1.285	378.15	536,889.60	2,600
6/28/2021	14	550.50	1.293	371.69	520,645.25	2,521
6/29/2021	14	550.50	1.296	358.07	472,462.85	2,288
6/30/2021	14	550.50	1.293	347.17	491,735.81	2,381